

[MÉXICO]
ANTES DE DEVOLVER EL
PRODUCTO A LA TIENDA:
Comuníquese Con Servicio
Al Cliente De Huffy. Nos
Complace Ayudarlo Con Cualquier
Parte O Problema De Ensamblado
Que Pudiera Tener.

Para obtener Servicio al cliente rápido, visite:

www.huffybikes.com/

O LLAME AL TEL: 01800 1483 391 (Mexico only)

Para comunicarse por correo electrónico: servicio.mexico@huffv.com

[In the US and Canada] PLEASE

BEFORE RETURNING TO STORE:

Contact Huffy Customer Service.
We are glad to assist you with any parts or assembly problems you might have!

VEUILLEZ NOTER: AVANT DE RETOURNER AU MAGASIN:

Communiquez avec le service à la clientèle de Huffy. Nous vous aiderons volontiers avec tout problème concernant les pièces ou le montage!

For Fast Customer Service:
Pour un Service à la clientèle rapide :
www.huffybikes.com/contact

To Order Parts (US):
Pour obtenir des pièces (CANADA):
www.huffybikes.com/parts

OR TEL: 1 800 872 2453 (**US**) **OU** appelez le 1 800 872 2453 (**CANADA**)

For e-mail: www.huffybikes.com/contact
Pour communiquer par courriel : huffycanada@huffy.com

www.huffybikes.com/home/globalcontact/

for current contact information / para obtener la información de contacto actual / pour les informations de contact actuelles



For ASSEMBLY Help: Ayuda de la ASAMBLEA: Aide à l'ASSEMBLAGE:


Please REGISTER your Product! Por favor, REGISTRE su producto! L'ENREGISTREMENT de produit!








Owner's Manual Storage Trike





This manual contains important safety, assembly, operation and maintenance information. Please read and fully understand this manual before operation.





Always wear approved helmet and safety equipment when using this product.




See back page for Customer Service Information

Manual Index

Safety Information	2-3
Parts View / Tools Needed	
Trike Assembly	6-9
Maintenance	10
Warranty	11

Helmet Warning Information

A WARNING: **ALWAYS WEAR YOUR HELMET** WHEN RIDING THIS PRODUCT!



- Adjust the strap sliders below the ear on both sides.
- Buckle the chin strap. Adjust strap until it is snug.
- No more than two fingers should fit between the strap and vour chin.
- A proper fitting helmet should be comfortable and not rock forward/backward or side to side.





!\WARNING: CHOKING HAZARD:

- Small parts, adult assembly required.
- To reduce the risk of injury, adult supervision is required.
- The user must be **3+ years**, and weigh no more than **60 lbs** (**27kgs**).
- Maximum weight for the rear plastic bin is 2.3kg. (5 lbs).
- Do not allow a child to ride in the rear plastic bin.
- Avoid sharp bumps, drainage grates, and sudden surface changes. Scooter may suddenly
- · Avoid excessive speed associated with downhill rides.
- Watch out for pedestrians.
- Check and secure all fasteners before every ride.

Limited Warranty - US

General:

Part or model specifications are subject to change • without notice.

This Limited Warranty is the only warranty for the • Used in a manner contrary to the instructions product. ALL WARRANTIES OTHER THAN STATED HEREIN ARE DISCLAIMED INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, TO THE EXTENT ALLOWABLE BY APPLICABLE LAW. ALL LIABILITY FOR INCIDENTAL, PUNITIVE, SPECIAL, OR CONSEQUENTIAL DAMAGES ARE EXPRESSLY DISCLAIMED, TO THE EXTENT ALLOWABLE BY APPLICABLE LAW.

The only uses for this product are described in this manual.

Warranty registration is not required. The Limited Warranty extends only to the original consumer and is not transferable to anyone else.

What does this Limited Warranty cover?

This Limited Warranty covers defects in workmanship and materials for all parts of the product except those indicated below as not warranted.

What must you do to keep the Limited Warranty in effect?

This Limited Warranty is effective only if:

- · Product is completely and correctly assembled.
- Product is used under normal conditions for its intended purpose (see the following section for excluded activities).
- · Product receives all necessary maintenance and adjustments.
- · Product is used for general transportation and recreational use only.

What is not covered by this Limited Warranty?

This product is designed for recreational use only. This Limited Warranty does not cover normal wear and tear, normal maintenance items, or any damage, failure, or loss that is caused by improper assembly, maintenance, adjustment, storage, or use of the product. This Limited Warranty does not extend to future performance.

This Limited Warranty will be void if the product is ever:

- Used in any competitive sport
- Used for stunt riding, jumping, aerobatics or similar activity
- · Modified in any way

- · Modified with the addition of a motor
- Ridden by more than one person at a time
- Rented, sold, or given away
- and warnings in this Owner's Manual

What will The Manufacturer do?

Manufacturer's sole and exclusive obligation under this Limited Warranty is to repair and/or replace, at its sole option, any covered defect in workmanship or materials.

How do you get service?

Contact the Customer Service Department.

· See included list for Customer Contact information.

What rights do you have?

This Limited Warranty gives you specific legal rights. You may also have other rights which vary from State to State.

For how long does this Limited Warranty last?

· When used in this Limited Warranty, the phrase "for life" means for as long as the original consumer owns the product.

All components are warranted for 6 months from the date of purchase.

Repair and Service

A WARNING:

- Inspect the product frequently. Failure to inspect the product and to make repairs or adjustments, as necessary, can result in injury to the rider or to others. Make sure all parts are correctly assembled and adjusted as written in this manual and any "Special Instructions".
- Maintenance Immediately replace any damaged, missing, or badly worn parts with original equipment.
 - Make sure all fasteners are correctly tightened as written in this manual and any "Special Instructions". Parts that are not tight enough can be lost or operate poorly. Over tightened parts can be damaged. Make sure any replacement fasteners are the correct size and type.
 - Self-locking nuts and other self-locking fasteners may lose their effectiveness when reused.

NOTE: Have a bicycle service shop make any repairs or adjustments for which you do not have the correct tools or if the instructions in this manual or any "Special Instructions" are not sufficient for you.

Safety and Warning Information

This product, like all wheeled vehicles, will provide safe, enjoyable transportation and recreation when used and maintained properly. Like bicycling, skateboarding, and in-line skating, riding this product can be dangerous even under the best of circumstances. We do not want you to get hurt. Please follow these safety rules.

This symbol is important. It is the WARNING symbol. The warning symbol precedes safety instructions. Make sure the child understands these instructions. Failure to follow these instructions may result in injury to the rider or to others, or damage to the product.

WARNING TO AVOID SERIOUS INJURY:

- · Adult assembly required.
- CHOKING HAZARD: Small parts. Not for children under 3 years.
- Keep small loose parts and plastic bags out of the reach of children.
- Not suitable for children under 3 years as foam pieces may break off and pose a choking hazard. Keep small children away when assembling.
- An adult must unfold and fold this product (as equipped).
- Continuous adult supervision required.
- · Never use near motor vehicles.
- Never ride with more than one person.
- Excessive weight may cause a hazardous or unstable condition.
- Protective equipment should be worn. Do not allow a child to ride without a CPSC approved helmet, with the chinstrap securely fastened. Always wear shoes when using this product.
- · Not to be use in traffic.
- Do not allow a child to ride the product at dusk, at night or at times of limited visibility.
- Do not allow a child to ride on roadways or alleys.
- Do not allow a child to ride off road, on grass or wet surfaces.
- Never use near streets, swimming pools (or other bodies of water), hills, steps, or sloped driveways.
- For use on smooth paved surfaces only.
- Understand all operating procedures before use.
- Do not tow or pull any objects with the product.
- Do not push or pull a child riding on the product.
- Use with caution, since skill is required to avoid falls or collisions causing injury to the user or third parties.
- Always comply with local laws and regulations.
- If anything does not operate properly, discontinue use.
- Replace worn or broken parts immediately with genuine replacement parts.
- Handlebar hand grip or tube end plugs should be replaced if damaged as bare tubes have been known to cause injury. All products with capped handlebar ends should be checked regularly to ensure that adequate protection for the ends of the handlebars are in place.
- Do Not modify the product.
- Self-locking nuts and other self-locking fixings may lose their effectiveness when re-used.


Parts Assembly NOTE: Product may vary slightly from that shown.

#	Description	#	Description
1	Handlebar	14	Pedal (x2)
2	Grips (x2)	15	Front Wheel
3	Collar	16	Fender
4	Rear Frame and Attaching Hard- ware	17	Seat
5	Attaching Hardware	18	Seat Mounting Hardware (varies)
6	Washer/Spacer	19	Self Tapping Screw and Washer
7	Screw (x2)	20	Self Tapping Screw (m4 x 2)
8	Plastic Bin	21	Handlebar Pad (various models)
9	Axle Cup (x2)	22	Plaque (various models)
10	Rear Wheel (x2)	23	Bag (various models)
11	Axle Cap (x2)	24	Handlebar Accessory (various models)
12	Frame Assembly	25	Basket (various models)
13	Fork Assembly		

Tools Needed: Metric Allen Wrenches (supplied), Phillips Screwdriver, Adjustable Wrench some models)

Handlebar Storage Unit - various models

NOTE: Storage Units may have different caps, but all mount to Handlebars the same.



WITH UNIT UPSIDE DOWN:


- 1. Place Side Pipes (A) against lip of Bucket (B) - both sides.
- 2. Place Retainer Ring © over Side Pipes so that all mounting holes line
- 3. Install Two Short Screws (E) hand
- 4. Install Center Cover (D) over Retainer Ring © so that mounting holes line
- 5. Install Long Screw (F) securely.
- 6. Tighten side Screws (E) securely.
- 7. Attach Storage unit to handlebars using Hook and Loop Straps (G).


NOTE: Max weight 5 lb (2.3 kgs)

MOUNT VARIOUS ACCESSORIES AS FOLLOWS (AS EQUIPPED):

- Open Pad (A) and place firmly over handlebar.
- Attach Bag (B) with Velcro straps or buckles.
- Position Bell © on handlebar and tighten screws securely. Do not over-tighten. Bells may have one or two screws.
- Attach Streamers (D) by placing attach pins into open ends of handlebar grips.
- · Attach Storage unit to handlebars using Hook and Loop Straps **E**.

NOTE: Weight Limit 5 lbs (2.3 kgs)





STEPS:

- 1. Ensure Fender (D) is over the fork (A) as
- 2. Slide the Fork assembly into the Frame


NOTE: Ensure frame is right-side up (Seat Bracket **①** is facing UP).

- 3. Place Cap © onto Handlebar €.
- 4. Make sure Washer (F) is in place over Fork Tube (A).
- 5. Install Handlebar (E) into Fork (A) so that screw holes are aligned.
- 6. Install Hardware (G) through Handlebar and Fork holes. Tighten securely.
- 7. Slide Cap (C) down fully so that Screw and Locknut fit into Cap Slot.

CAUTION:

- Ensure Handlebars and Fork turn smoothly in both directions and are not loose.
- Ensure front Wheel and Pedals rotate smoothly.

Assembly



REAR FRAME INSTALLATION 11:

- 1. Insert Rear Frame (A) onto Front Frame Tube (B) as shown. Make sure Bin Screw Hole **①** is facing UP and Axle is straight on Frame.
- 2. Install Shoulder Screw Set (C) through Frame Tubes. Tighten securely.

REAR WHEELS 2:

- 1. Install Rear Wheels (D) over Axle Cups (E).
- 2. Install Axle Cap (F) with screw (G). Ensure Axle Cap is seated all the way in.
- 3. Repeat for opposite side.
- 4. Tighten Screws (G) securely but Do Not overtighten.

WARNING: Ensure Wheels turn smoothly. The Wheels can come off if the Screws are not tight or if the screw threads are stripped.


PLASTIC BIN **3**:

- 1. Snap the two Bin clips (L) over Frame Legs (M).
- 2. Install Storage Bin (N) using Screw and Washer (1) into Frame Tube as shown. Do Not overtighten.

NOTES:

- Weight Limit 5 lbs (2.3 kgs)
- On models with Storage Bin Lid that snaps closed: DO NOT STAND ON LID.

Assembly



SEAT 4 OR 5:

4:


Assembly

• Install Seat (H) using 2 Screws (I) and Washers (J) through Seat and into Mounting Plate. Tighten Securely.

6:


- Install Seat (H) using 2 Screws (I) and Washers (J) through Seat and Mounting Plate.
 Install 2 Washers (J) and 2 Locknuts (K). Tighten Securely.

Assemble the Fork



STEPS:

- 1. Insert legs of Fork (A) fully into Fork/Axle Ends (B) so that screw holes line up.
- 2. Attach with Screw and Nut **©**. Tighten securely.
- 3. Repeat for opposite side.
- 4. Place Fender (D) fully onto Fork assembly as shown.



STEPS:

- 1. Ensure Fender **(D)** is over the fork **(A)** as shown.
- 2. Slide the Fork assembly into the Frame

NOTE: Ensure frame is right-side up (Seat Bracket **①** is facing UP).

- 3. Place Cap © onto Handlebar €.
- 4. Make sure Washer (F) is in place over Fork Tube (A).
- 5. Install Handlebar (E) into Fork (A) so that screw holes are aligned.
- 6. Install Hardware (G) through Handlebar and Fork holes. **Tighten securely.**
- 7. Slide Cap © down until the tabs snap in place.

CAUTION:

- Ensure Handlebars and Fork turn smoothly in both directions and are not loose.
- Ensure front Wheel and Pedals rotate smoothly.